Immunization Record







Immunization Record for

name of child

Keep this booklet in a safe place. You will need this for doctor visits and school records. Immunizations are an important part of keeping your baby in good health. They protect your baby from diseases such as measles, whooping cough, hepatitis, and meningitis.

Keeping your regular visits with your baby's doctor is the best way to make sure your baby receives immunizations and is protected from diseases. If you get behind on your baby's shots, it is never too late to catch up.

For information on immunizations, contact:

Franklin County Public Health Immunizations 614-525-3719

Email: shots@franklincountyohio.gov

Website: myfcph.org

Columbus Health Department Immunization Program 614-645-7945

Keep your *Little Miracle* healthy..... Immunize

Child's Name			
Child's Birthdate		/	/
Child's Address			
Child's County			
Child's Sex	☐ Fem	ale	☐ Male
Mother's Name			
Mother's			
Address			
Mother's	()	
Phone #)	
Father's Name			
Father's			
Address			
Father's	()	
Phone #	\	<i>)</i>	
Guardian's			
Name			
Guardian's			
Address			
Guardian's	()	
Phone #		/	
Doctor's Name			
Doctor's			
Address			
Doctor's	()	
Phone #	`	/	

HepB (hepatitis B)		
3 doses at	Date Given	Given by
Birth		
I - 2 months		
6 - 18 months		
DTaP (diphtheria, tetanus, and pertussis — whooping cough)		
5 doses at	Date Given	Given by
2 months		
4 months		
6 months		
15 - 18 months		
4 - 6 years		
Hib (haemophilus influenza type b)		
Depending on type, 3 or 4 doses at	Date Given	Given by
2 months		
4 months		
6 months		
12 - 15 months		

PCV (pneumococcal disease)		
4 doses at	Date Given	Given by
2 months		
4 months		
6 months		
12 - 15 months		
RV (rotavirus)		
Depending on type, 2 or 3 doses at	Date Given	Given by
2 months		
4 months		
6 months		
IPV (Polio)		
4 doses at	Date Given	Given by
2 months		
4 months		
6 - 18 months		
4 - 6 years		
Varicella (chickenpox)		
2 doses at	Date Given	Given by
12 - 15 months		
4 - 6 years		

MMR (measles, mumps, rubella)		
2 doses at	Date Given	Given by
12 - 15 months		
4 - 6 years		
Hepatitis A		
2 doses at	Date Given	Given by
12 - 23 months		
at least 6 months later		
Influenza (flu)		
yearly doses at:	Date Given	Given by
6 months		
l year		
2 years		
3 years		
4 years		
5 years		
6 years		
/		

Synagis® (Palivizumab)

For babies at risk of RSV (Respiratory Syncytial Virus): born prematurely or with chronic or high risk conditions. Given monthly during the flu season — fall through spring.

spring.		
	Date Given by	Given by

Notes



